Amendments to the Claims

Please amend the claims as follows:

1-3 (Canceled)

4. (Previously Presented) A method of processing digital image data comprising:
overlaying a hexon pattern structure on the digital image data to define a central
area comprising a pixel or group of pixels, the geometric pattern comprising a group of six
pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying
of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform,

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a triangular shape is present within the image.

5. (Previously Presented) A method of processing digital image data comprising: overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform,

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a line junction is present within the image.

BEST AVAILABLE COPY

HEMILEY KIR & EDELOWITCH, LLC

6. (Previously Presented) A method of processing digital image data comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform,

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a disk shape is present within the image.

7. (Previously Presented) A method of processing digital image data comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform,

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a ring shape is present within the image.

8-22 (Canceled)

23. (Currently Amended) A method of processing digital image data wherein the digital image data includes lines and edge features, comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform, and

detecting regions of contrast within the image data,

wherein the detecting of regions of contrast includes detection of only lines of a predetermined width, and wherein detection of only lines of a predetermined width excludes the detection of at least some edge features.

24. (Currently Amended) A method of processing digital image data wherein the digital image data includes lines and edge features, comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform, and

detecting regions of contrast within the image data,

wherein the detecting of regions of contrast includes detection of only lines of a predetermined darkness or brightness, and wherein detection of only lines of a predetermined darkness or brightness excludes the detection of at least some edge features.

25-30 (Canceled)

- 31. (Previously Presented) A method of processing digital image data comprising providing a hierarchical description of shapes in an image according to scale by applying a local radial angular transform to the digital image data.
 - 32. (Previously Presented) The method of claim 31 wherein the shapes are lines.
- 33. (Currently Amended) A method of processing digital image data comprising: applying a local radial angular transform to the digital image data to provide transform coefficients of c₁, c₂, c₃, and c₄; and

utilizing at least one of a modulus of the c_3 transform coefficient to detect line objects, a modulus of the c_2 transform coefficient to detect semi-plane objects, a modulus of the c_4 transform coefficient to detect triangle objects and line junction objects, and a modulus of $\frac{c_1}{B_0}$ a mathematical relationship between B_0 and c_1 to identify ring objects and disk objects, wherein B_0 represents a brightness value or a color value of a central element of elements used in the local radial angular transform.

34. (Canceled)

35. (Previously Presented) A computer-readable medium having computer-executable instructions for performing operations comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six

HKE

By Facsimile Attorney Docket No. 197-008-USP

pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform.

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a triangular shape is present within the image.

36. (Previously Presented) A computer-readable medium having computer-executable instructions for performing operations comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform,

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a line junction is present within the image.

37. (Previously Presented) A computer-readable medium having computer-executable instructions for performing operations comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform.

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a disk shape is present within the image.

38. (Previously Presented) A computer-readable medium having computer-executable instructions for performing operations comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform.

detecting regions of contrast within the image data, wherein the detected regions of contrast are used to determine if a ring shape is present within the image.

39. (Currently Amended) A computer-readable medium having computer-executable instructions for performing operations that process digital image data wherein the digital image data includes lines and edge features, the operations comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform, and

detecting regions of contrast within the image data,

Aug 03 2005 7:45PM

By Facsimile Attorney Docket No. 197-008-USP

wherein the detecting of regions of contrast includes detection of only lines of a predetermined width, and wherein detection of only lines of a predetermined width excludes the detection of at least some edge features.

40. (Currently Amended) A computer-readable medium having computer-executable instructions for performing operations that process digital image data wherein the digital image data includes lines and edge features, the operations comprising:

overlaying a hexon pattern structure on the digital image data to define a central area comprising a pixel or group of pixels, the geometric pattern comprising a group of six pixels and/or a pattern of six groups of pixels surrounding the central area, the overlaying of the geometric pattern defining a geometric region in relation to the central area,

assigning brightness values to the pixels within the groups of pixels and/or to individual groups of pixels,

comparing the brightness values of the groups of pixels using a local radial angular transform, and

detecting regions of contrast within the image data,

wherein the detecting of regions of contrast includes detection of only lines of a predetermined width, and wherein detection of only lines of a predetermined darkness or brightness excludes the detection of at least some edge features.

- 41. (Currently Amended) A computer-readable medium having computer-executable instructions for performing operations that process method of processing digital image data, the operations comprising providing a hierarchical description of shapes in an image according to scale by applying a local radial angular transform to the digital image data.
- 42. (Currently Amended) The method computer-readable medium of claim 41 wherein the shapes are lines.

7203770777

43. (Currently Amended) A computer-readable medium having computer-executable instructions for performing operations comprising:

applying a local radial angular transform to the digital image data to provide transform coefficients of c₁, c₂, c₃, and c₄; and

utilizing at least one of a modulus of the c_3 transform coefficient to detect line objects, a modulus of the c_2 transform coefficient to detect semi-plane objects, a modulus of the c_4 transform coefficient to detect triangle objects and line junction objects, and a modulus of $\begin{pmatrix} B_0 & c_1 \\ \sqrt{6} \end{pmatrix}$ a mathematical relationship between B_0 and c_1 to identify ring

objects and disk objects, wherein B_0 represents a brightness value or a color value of a central element of elements used in the local radial angular transform.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.